

Videssence Little VID LED Studio Fresnel Lights:

Fresnel lens LED lights for studio and location video lighting provide the single shadow characteristics essential to Fresnel fixtures while using a fraction of the power of tungsten lamp units. Flicker free dimming without color shift and amazing 96+ CRI (color rendition index). Single led chip light source provides a concentrated bright beam with even coverage of 3200K color temp light (5600K optional). Choice of on board dimming control with knob or DMX control power packs. Power input is 120 thru 230 volts 50/60 Hz. When dimmed to zero, power is shut off to the driver and LED so no external relay or power cutoff is required. Fixtures have cCSAus rating for USA/Canada. Provided with an aluminum mounting yoke sized so fixture can rotate vertically thru the yoke. Includes C-clamp or 5/8" stand adapter (specify one).

LV050 Little Vid models:

Compact 50 watt LED Fresnel lens fixtures are small, light weight, and easy to handle or mount in tight spaces. A fixed focus model has 4 permanently attached barndoors to control light spill and includes 2 magnet holders for a gel. The focusable model has a slide focus knob at the top to adjust beam spread, and clips to install gel frame (included) and/or barndoors (optional). Fixture has passive thermal cooling with no fans. Remote power supply allows easy programming for dimming or DMX control. Power supply has hard wired 12' cord to connect to fixture, and a separate 16' AC power supply cord with a NEMA5-15 3 prong plug. Specify C-clamp or 5/8" stand adapter. C-clamp version has power supply mounted on fixture yoke. Stand mount version has detached remote power supply. Models with on board dimming are also available with power supply that can be used with V-mount or Gold-mount battery packs. Prices on request.

LV050-32K-OB	50 watt Fresnel light, fixed focus, on board dimming. 3200K	\$ 900.00
LV050-56K-OB	50 watt Fresnel light, fixed focus, on board dimming. 5600K	\$ 900.00
LV050-32K-DMX	50 watt Fresnel light, fixed focus, DMX dimming. 3200K	\$ 1199.00
LV050-56K-DMX	50 watt Fresnel light, fixed focus, DMX dimming. 5600K	\$ 1199.00
LV050-F-32K-OB	50 watt Fresnel light, focusable, on board dimming. 3200K	\$ 1100.00
LV050-F-56K-OB	50 watt Fresnel light, focusable, on board dimming. 5600K	\$ 1100.00
LV050-F-32K-DMX	50 watt Fresnel light, focusable, DMX dimming. 3200K	\$ 1399.00
LV050-F-56K-DMX	50 watt Fresnel light, focusable, DMX dimming. 5600K	\$ 1399.00
BD-LV050-F	Barn Doors, 4 doors rotating for LV050F focusing models	\$ 80.00
GF-LV050R	Gel frame for LV050F focusing models (included)	\$ 30.00

LITTLE VID KITS:

LED Fresnel kit utilizing 3 compact LV50 fixtures. Each kit includes stand mount fixtures, remote power supply with on board dimming for 120 - 230 vac. and can be used with V-mount battery source (by others), (3) folding tripod base stands, cables, accessories, and a soft sport bag with wheels. Soft case has separate compartments to protect the contents during travel. Case is 42" x 15" x 14". Kits with on board dimming include a power supply that can be used with V-mount or Gold-mount battery packs instead of AC. * Specify V-mount or Gold battery mount.

Little VID Focusable Kits:

KLV3050-32K-F-RC-BP*	Focusable kit, 3200K includes the following:.....	\$ 4795.00
	(3) LV050-F-OB 3200K 50 watt dimming fixtures 3200K	
	(3) PD-LV050-BP remote power supply, on board dimming	
	(3) BD-LV050 barn door	
	(3) GF-LV050R gel frame, round	
	(3) MT-LOS-K folding kit stand, 36" base, 29" to 93" high	
	(3) MT-MH-BS 5/8" stand adapter	
	(3) CB-P-16-PCON 16' powerCon power cord	
	(3) CS-KLV3050-RC roller case bag	
KLV3050-32K-F-RC-BP*	Focusable kit, 5600K. Same as above but 5600K	\$ 4795.00


Little VID Fixed Focus Kits:

KLV3050-32K-RC-BP*	Fixed focus kit, 3200K includes the following:.....	\$ 3795.00
	(3) LV050-F-OB 3200K 50 watt dimming fixtures 3200K	
	(3) PD-LV050-BP remote power supply, on board dimming	
	(3) LB-MAG-GEL-LV050 (2) magnet holders for gel	
	(3) MT-LOS-K folding kit stand, 36" base, 29" to 93" high	
	(3) MT-MH-BS 5/8" stand adapter	
	(3) CB-P-16-PCON 16' powerCon power cord	
	(3) CS-KLV3050-RC roller case bag	
KLV3050-32K-RC-BP*	Fixed focus kit, 5600K. Same as above but 5600K.....	\$ 3795.00



VF50-F (focusable)
with clips for
barndoors

VF50 (fixed focus)
with attached
barndoors



LV50-F Front View

LV50-F Side View

LV50-F Side View
With Clamp
and power supply



Barndoors for VF50-F

For full specifications including photometric data, and accessories click below.

[VF50 and VF50-F
Little VID Kits](#)



Little VID Kit Focusable
with barndoors and round gel frames

Videssence LED Studio Fresnel Lights:

Fresnel lens LED lights for studio and location video lighting provide the single shadow characteristics essential to Fresnel fixtures while using a fraction of the power of tungsten lamp units. Flicker free dimming without color shift and amazing 96+ CRI (color rendition index). Single led chip light source provides a concentrated bright beam with even coverage of 3200K color temp light (5600K optional). Choice of on board dimming control with knob or DMX control. Power input is 120 thru 230 volts 50/60 Hz. When dimmed to zero, power is shut off to the driver and LED so no external relay or power cutoff is required. Fixtures have cCSAus rating for USA/Canada. Provided with an aluminum mounting yoke sized so fixture can rotate vertically thru the yoke. Includes C-clamp or 5/8" stand adapter (specify one).


VIDNEL VN50

50 watt LED Fresnel fixture. A manual slide bar at the side adjusts the beam and locks in place. Passive thermal cooling system without fans. Controls at the back for easy programming for DMX control and dimming. On/off switch. Includes 16' power supply cord with powerCon connector and NEMA5-15 3 prong plug. Clips on front to hold 4" gel frame (included) and/or optional barndoors. Includes C-clamp or 5/8" stand adapter. Specify choice.

VN050-32K-OB/DMX	50 watt fixture with dimming and DMX control, 3200K.....	\$ 1995.00
VN050-56K-OB/DMX	50 watt fixture with dimming and DMX control, 5600K.....	\$ 1995.00
BD-VN050	Barndoor for VN050 Fresnel	\$ 70.00
GF-VN050	4" Gel frame for VN050 Fresnel, included.....	\$ 25.00



VN50




VIDNEL VN080

80 watt LED Fresnel fixture. A manual slide bar at the side adjusts the beam and locks in place. Dual copper heatsinks with integrated ultra-quiet fan. Touch pad control on side for easy programming for DMX control and dimming. On/off switch. Includes 16' power supply cord with powerCon connector and NEMA5-15 3 prong plug. Clips on front to hold 4" gel frame (included) and/or optional barndoors. Includes C-clamp or 5/8" stand adapter. Specify choice.

VN080-32K-OB/DMX	80 watt fixture with dimming and DMX control, 3200K.....	\$ 2300.00
VN080-56K-OB/DMX	80 watt fixture with dimming and DMX control, 3200K.....	\$ 2300.00
BD-VN080	Barndoor for VN080 Fresnel	\$ 80.00
GF-VN080	4" Gel frame for VN080 Fresnel, included.....	\$ 30.00



VN080 with C-clamp




VIDNEL VN100

100 watt LED Fresnel fixture. A manual slide bar at the side adjusts the beam and locks in place. Passive cooling system without fan. Touch pad control on back for easy programming for DMX control and dimming. On/off switch. Includes 16' power supply cord with powerCon connector and NEMA5-15 3 prong plug. PowerCon in and out locking connectors permit daisy chaining AC power between fixtures using optional cables. Clips on front to hold 6" gel frame (included) and/or optional barndoors. Includes C-clamp or 5/8" stand adapter. Specify choice.

VN100-32K-OB/DMX	100 watt fixture with dimming and DMX control, 3200K.....	\$ 2900.00
VN100-56K-OB/DMX	100 watt fixture with dimming and DMX control, 3200K.....	\$ 2900.00
BD-VN100	Barndoors for VN100 Fresnel.....	\$ 90.00
GF-VN100	6" gel frame for VN100 Fresnel, included.....	\$ 30.00



VN100



Click below for full specifications and photometric data in PDF file catalog pages.

[VN050 Fresnel](#)

[VN080 Fresnel](#)

[VN100 Fresnel](#)



Typical VN series
barndoor and gel frame

VIDNEL VN150

150 watt LED Fresnel fixture. A manual slide bar at the side adjusts the beam and locks in place. Dual copper heatsinks with integrated ultra-quiet fan. Touch pad control on side for easy programming for DMX control and dimming. On/off switch. Includes 16' power supply cord with powerCon connector and NEMA5-15 3 prong plug. PowerCon in and out locking connectors permit daisy chaining AC power between fixtures using optional cables. Clips on front to hold 6" gel frame (included) and/or optional barndoors. Includes C-clamp or 5/8" stand adapter. Specify choice.

VN150-32K-OB/DMX	150 watt fixture with dimming and DMX control, 3200K.....	\$ 3400.00
VN150-56K-OB/DMX	150 watt fixture with dimming and DMX control, 3200K.....	\$ 3400.00
BD-VN150	Barndoors for VN150 Fresnel.....	\$ 95.00
GF-VN150	6" Gel frame for VN150 Fresnel, included.....	\$ 35.00




VN150 with barndoors


VIDNEL VN240

240 watt LED Fresnel fixture. A manual slide bar at the side adjusts the beam and locks in place. Dual copper heatsinks with integrated ultra-quiet fan. Touch pad control on side for easy programming for DMX control and dimming. On/off switch. Includes 16' power supply cord with powerCon connector and NEMA5-15 3 prong plug. PowerCon in and out locking connectors permit daisy chaining AC power between fixtures using optional cables. Clips on front to hold 8" gel frame (included) and/or optional barndoors. Includes C-clamp or 5/8" stand adapter. Specify choice.

VN240-32K-OB/DMX	240 watt fixture with dimming and DMX control, 3200K.....	\$ 3700.00
VN240-56K-OB/DMX	240 watt fixture with dimming and DMX control, 5600K.....	\$ 3700.00
BD-VN204	Barndoors for VN240 Fresnel.....	\$ 105.00
GF-VN240	8" gel frame for VN240 Fresnel, included.....	\$ 40.00



VN240 with barndoors



Click below for full specifications and photometric data in PDF file catalog pages.

- [VN150 Fresnel](#)
- [VN240 Fresnel](#)
- [LED Facelite](#)



Typical VN series barndoor and gel frame

Videssence Facelite:


Powerful 10 watt, high color rendering LED niche light. Designed to boost the vertical light levels on face and features to separate a person from the ambient lighting. Led light source is 3000K (optional 4000K) with 85+ CRI and is rated 50,000 hour life. Fixture size is 13" x 2.5" x 1" and has a frosted plastic spread lens. Wall adapter power supply has a 5' power cord (24 vdc) to connect to the light fixture and plugs into a standard 3 prong 120 VAC receptacle. Silent operation. Available non-dim or with in-line rotary knob dimmer. Bracket mounted version has pair of mounting brackets that allow tilting the angle of the Facelite and may be secured to a surface with screws (not included). Vertical stand mount has a 4" dia. weighted base with adjustable height that places the center of the Facelite approx. 14.5" to 20.5" above the surface.

FL010-30K	LED Facelite with brackets, 3000K, non-dim.....	\$ 215.00
FL010-30K-DC	LED Facelite with brackets, 3000K, in-line dimmer.....	\$ 250.00
FL010-S-30K	LED Facelite with stand, 3000K, non-dim.....	\$ 250.00
FL010-S-30K	LED Facelite with stand, 3000K, in-line dimmer.....	\$ 285.00



Facelites on stand and brackets


Facelite is available with wall adapter power supply that has plug configuration for use in Europe 230 vac 50/60 Hz. Price on request. Prices for 4000K versions on request.



Videssence VIDFILL Series:

Powerful, high color rendering LED soft light fixtures provide a smooth wash of soft, even, shadow-less fill light. Indirect optical design and internal diffusing lens shields the talent from glaring LEDs resulting in comfortable, cool fill lighting for use in video or film studios. Available with 3200K or optional 5600K LED source that has 50,000 hour rated life. Flicker-free dimming without color shift and amazing color rendering at 96+ CRI. Passive thermal cooling for silent operation without any cooling fans. Controls at the back allow easy programming for DMX control and dimming. Power is shut off to the driver and LED when dimmed to zero with DMX, so no external relay or power cut off is required. Includes 16' AC power cord, in and out powerCon locking connectors, and on/off switch. Gel frame is included with fixture. Available with extruded aluminum C-clamp or 5/8" stand adapter. Specify when ordering.

VF050-32K-OB/DMX	50 watt LED softlight, 3200k, on-board dimming and DMX..	\$ 1500.00
VF050-56K-OB/DMX	50 watt LED softlight, 5600k, on-board dimming and DMX..	\$ 1500.00
SN-VF050	Snoot for VF50 softlight.....	\$ 60.00
GF-VF050	Gel frame for VF50 softlight, included	\$ 30.00
VF100-32K-OB/DMX	100 watt LED softlight, 3200k, on-board dimming and DMX	\$ 2100.00
VF100-56K-OB.DMX	100 watt LED softlight, 5600K, on-board dimming and DMX ..	\$ 2100.00
SN-VF100	Snoot for VF100 softlight.....	\$ 80.00
GF-VF100	Gel frame for VF100 softlight, included	\$ 35.00



VF50 with C-clamp



VF100 with C-clamp



Snoot & Gel Frame

ViewMe LED Light Kits for Video Chat:


Portable lights for personal image broadcasting via web cam. These LED lights produce soft, comfortable, and non-glaring totally indirect lighting. Set these up on or next to your monitor to boost the vertical light levels on your face and features to separate you from the ambient lighting. The LED source is 3.4 watts with 3000K color 85 CRI and has a rated life of 50,000 hours. Lights are non-dim. Boxed in a heavy 200# corrugated cardboard container with formed foam insert to protect the components. Lights to mount on monitor have a "Z" bracket and self-adhesive Velcro tape to attach bracket to monitor case. Stand mount Kit has 2 lights with 4" dia. base adjustable height stands. Kits with 2 lights include a jumper cable to go between the two lights and a single power supply. Not sure if you want brackets or stands? A kit is available with both mounting methods. Power supply works with 120 to 230 volt ac and plugs into a standard 3 pin wall receptacle. Also available on request with 2 prong 230 vac European plug for international use. Monitor is not included in kit - that's up to you.

KVM1004-B	Kit with one ViewMe light and "Z" bracket for monitor	\$ 115.00
KVM2004-B	Kit with two ViewMe lights and "Z" brackets for monitor	\$ 195.00
KVM2004-S	Kit with two ViewMe lights and adjustable height stands	\$ 249.00
KVM2004-SB	Kit with two ViewMe lights, stands, and "Z" brackets	\$ 260.00




ViewMe 1 light

ViewMe 2 light



ViewMe 2 stand lights



Click below for full specifications and photometric data in PDF file catalog pages.

- [VF50 Softlight](#)
- [VF100 Softlight](#)
- [ViewMe Light Kits](#)